

LRA Dental & Orthopedic Material Testing

Antigen List

- | | | |
|--------------------------|----------------------|----------------------------------|
| 1. Acetates | 16. Gallium Salts | 31. Pthalates |
| 2. Aluminum | 17. Gold | 32. Rubidium Salts |
| 3. Antimony | 18. Iron Salts | 33. Ruthenium |
| 4. *Arsenic | 19. Lanthanum | 34. Scandium |
| 5. Barium | 20. *Lead | 35. Silicates |
| 6. Benzil | 21. *Mercury | 36. Silver |
| 7. Benzylkonium Chloride | 22. Metabisulfite | 37. Sodium Fluoride |
| 8. *Beryllium Salts | 23. Methyl Paraben | 38. Sorbates |
| 9. Bismuth Salt | 24. Nickel | 39. *Thallium |
| 10. Cadmium | 25. O-Posphoric Acid | 40. *Thimerosal |
| 11. Cellulose | 26. Phenol | 41. Tin |
| 12. Cerium Salts | 27. Polyethers | 42. Titanium |
| 13. Chromium Salts | 28. Polyethimines | 43. Toluene |
| 14. Cobalt Salts | 29. Polyvinyls | 44. Xylene |
| 15. Formaldehyde | 30. Propionates | 45. Zinc |
| | | 46. Zirconia (Zirconium dioxide) |

**Chemical groups and families not classified as safe for any internal or contact use, based on information from World Health Organization and national toxicology groups. Inclusion here is for the purpose of total body burden assessment and cross-reactivity considerations.*